
Download Client Connection Details

Torrent Clients

- In **Search Settings** to add a Torrent download client click on the **Torrent Search** tab.



rTorrent


Connection Settings

```
Search .torrent files: ENABLED
Send .torrent files to: rtorrent
rTorrent host:port:
https://{username}.{servername}.usbx.me/rutorrent/plugins/httprpc/action.php
Http Authentication: Basic
rTorrent Username: {username}
rTorrent Password: As configured in UCP under ruTorrent
Add Label To Torrent: Medusa
Downloaded Files Location: <EMPTY>
```


Post-Processing Setup

- Access and login to your ruTorrent instance using the credentials you set during installation


- Go to **Settings** by clicking the **Gear Icon**




- Click on the **Autotools** section in left column




- Enable the checkbox that says: **Enable "Automove" if torrent's label matches fitler"** and change default entry **/.*/** to **/Medusa/**



- Click the directory button next to **Path to finished downloads**



- Upon clicking the directory button, it will auto-fill the default download path your ruTorrent is using. This default location is: `/{HOME##}/{USERNAME}/files`
  - Simply add: `/completed` to the end of the path, making the path: `/{HOME##}/{USERNAME}/files/completed`
  - {HOME##} is your home number, in this example it is `home8'
    - {USERNAME} is your slot username, in this example it is `docs`



This step is very important if using ruTorrent as your download client. ruTorrent will not append an extension to downloads therefore Medusa's Post-Processor will import incomplete downloads if the Auotools-AutoMove plugin is not used in ruTorrent.

Transmission

Connection Settings

```
Search .torrent files: ENABLED

Send .torrent files to: Transmission

Transmission host: port: https://{username}.{servername}.usbx.me
```


```
Transmission RPC URL: transmission/rpc
Transmission Username: {username}
Transmission Password: As configured in UCP under Transmission
Downloaded Files Location: EMPTY
```

Post Processing Setup

Transmission appends **".part"** to the downloading file extensions until the download is completed and Medusa will ignore these files with **".part"** extensions, so there is no need to configure any further **Post Processing** directory settings for this client

Usenet Clients

- In **Search Settings**, to add a Usenet download client click on the **NZB Search** tab.




NZBGet: Connection Settings


```
Search NZBs: ENABLED
Send .nzb files to: NZBGet
Host: {username}.{servername}.usbx.me/nzbget
Connect using HTTPS: ENABLED
Username: {nzbget username}
Password: {nzbget password}
Use NZBget category: Medusa
Use NZBget category (backlog episodes): Medusa
Use NZBget category for anime: Medusa-Anime
Use NZBget category for anime (backlog episodes): Medusa-Anime
```

NZBGet: Post Processing Setup


- Access and login to your NZBget instance using the credentials you have set in the application.
- Go to **Settings** In the top right corner of the menu at the top of the initial login page.



- From here click on the **PATHS** link in the menu on left column menu



- Here you will see **MainDir** location default as `/downloads`




- **MainDir** needs to the full path of the `files` directory in your home.
  - `/{HOME##}/{USERNAME}/files/`
    - To get the full directory of this folder, you can SSH into your slot and run the command: `readlink -f ~/files/`

- The output of this command will give you the full path to your home's `files` directory
  - If you are unsure on how to SSH into your slot, you may refer to this guide: https://docs.ultra.cc/books/secure-shell-%28ssh%29/page/how-to-connect-to-your-ultracc-slot-via-ssh

Per the example in the screenshot below, {HOME##} is **home8** and the {username} is **docs**, so the full path for the `files` directory would be: `/home8/docs/files`



- Scroll down to the bottom of the page to click **Save all changes** in lower left corner




SABnzbd: Connection Settings

```
Search NZBs: ENABLED
Send .nzb files to: SABnzbd
Host: {username}.{servername}.usbx.me/sabnzbd/
Username: {sabznbd username}
Password: {sabnzbd password}
SABnzbd : {sabnzbd api key}
Use SABnzbd category: Medusa
Use SABnzbd category (backlog episodes): Medusa
Use SABnzbd category for anime: Medusa-Anime
Use SABnzbd category for anime (backlog episodes): Medusa-Anime
```


***It is important to have the trailing **/** on the end of your SABnzbd host, otherwise Medusa will fail to add NZBs successfully to this client.*

SABnzbd: Post Processing Setup


- Access and login to your SABbzbd instance using the credentials you have set in the application.
- Go to **Settings** In the top right corner of the menu at the top of the initial login page.




- Next, click the **Folders** link.



- From here you will see the 2 default directories that need to be changed
  - **Temporary Download Folder**: `/{HOME##}/{USERANME}/Downloads/incomplete`
  - **Completed Download Folder**: `/{HOME##}/{USERANME}/Downloads/complete`



- These 2 default directories need to be set to:
  - **Temporary Download Folder**: `/{HOME##}/{USERANME}/incomplete`
  - **Completed Download Folder**: `/{HOME##}/{USERANME}/files/completed`



Revision #3
Created 6 July 2020 12:15:35
Updated 17 April 2023 10:39:53 by varg